Volume 45 • 2003

International Journal of Geosciences

# Environmental Geology


## Editors

Philip E. LaMoreaux
Editor-in-Chief

Gunter Dörhöfer
Editor for Europe

## Editorial board

Robert C. Ahlert
Robert Aldwell
Donald Joe Benson
Paolo Bono
Andreas Dahmke
Yuan Daoxian
Jan Dowgiallo
David Drew
Dayle Easley
John C. Gosse
Thomas Green
Grant Gross
John Gunn
Lars Hakanson
Travis L. Hudson
Hussein Idris
Kenneth S. Johnson
Uri Kafri
David M. Kargbo
Vladimir Kovalevsky
James W. LaMoreaux
Ludwig Luckner
Gwendolyn L. Macpherson
Nopadon Mantajit
William F. Marcuson
Paul Marinos
Jörg Matschullat
Bashir A. Memon
Petar Milanovic
John E. Moore
Asaf Pekdeger
Ladislaus Rybach
Christoph Schöth
Ed L. Schrader
Horst D. Schulz
S. Fred Singer
David Stephenson
Stephen H. Stow
Jan Vlcko
Hubert Wiggering
Soki Yamamoto
Wanfang Zhou

Ángeles G → Huizar-Alvarez R
Abbott ML, Susong DD, Olson M, Krabbenhoft DP: Mercury in soil near a long-term air emission source in southeastern Idaho 352
Abbott ML → Susong DD
Abu-El-Sha'r WY, Batarseh ES, Ammary BY: Experimental assessment of the adequacy of clayey soils in Irbid to retard lead from aqueous solutions and leaded gasoline 526
Acero P, Mandado JMA, Gómez J, Gimeno MJ, Auqué LF, Torrijo FJ: Environmental impact of heavy-metal dispersion in the Huerva River (Iberian Range, NE Spain) 950
Agee JL → Marvin-DiPasquale MC
Ahijado A → Martín-Luis C
Ahmed S → Saxena VK
Al-Zabet T: Evaluation of aquifer vulnerability to contamination potential using the DRASTIC method 203
Alexander CR → Foyle AM
Almada GH → Fernández-Turiel JL
Ammary BY → Abu-El-Sha'r WY
Andreo B, Carrasco F, Bakalowicz M, Mudry J, Vadillo I: Use of hydrodynamic and hydrochemistry to characterise carbonate aquifers. Case study of the Blanca–Mijas unit (Málaga, southern Spain) 108
Anjaneyulu Y → Khan Z
Auqué LF → Acero P

Bakalowicz M → Andreo B
Balić-Žunić T → Elberling B
Bandyopadhyay RK: Rebuttal to "Arsenic toxicity of groundwater in parts of the Bengal basin in India and Bangladesh: the role of Quaternary stratigraphy and Holocene sea-level fluctuation" by S.K. Acharyya and others (*Environmental Geology* 39(10):1127–1137) 236
Bao WMJ, Vogler ET, Chrysikopoulos CV: Nonaqueous liquid pool dissolution in three-dimensional heterogeneous subsurface formations 968
Baron JS → Kester CL
Barton P → Doyle P
Batarseh ES → Abu-El-Sha'r WY
Berjami B → Fakir Y
Boles JR → Rademacher LK
Borden RK: Environmental geochemistry of the Bingham Canyon porphyry copper deposit, Utah 752
Bouse RM → Marvin-DiPasquale MC
Brill TC → Quick JC
Brink ABA → Swart CJU
Buchholtz ten Brink MR → Varekamp JC
Burton CL, Rosenbaum MS: Decision support to assist environmental sedimentology modelling 457
Bustos DM → Gray JE

Calvert SE → Martin AJ
Caprarelli G → Harrison J
Cardell-Fernández C, Vleugels G, Torfs K, Van Grieken R: The processes dominating Ca dissolution of limestone when exposed to ambient atmospheric conditions as determined by comparing dissolution models 160
Carrasco F → Andreo B
Carrillo-Martinez M → Huizar-Alvarez R
Carrillo-Rivera JJ → Huizar-Alvarez R
Casillas R → Martín-Luis C
Chakrapani GJ: Water and sediment geochemistry of major Kumaun Himalayan lakes, India 99
Chamberlain KR → Toner RN
Chang H-W → Lee J
Chapman JB, Lewis B, Litus G: Chemical and isotopic evaluation of water sources to the fens of South Park, Colorado 533
Chaudhuri D → Veeresh H
Chen GJ → Wang Q
Chen M → Zhou X
Chen S-C → Liu C-W
Choi J → Lee S
Chrysikopoulos CV → Bao WMJ
Cicchella D → Lima A
Clark JF → Rademacher LK
Clark JF → Thomas JM
Coello J → Martín-Luis C
Colini L → Galadini F
Coolbaugh MF → Sexauer Gustin M
Cox ME → Locsey KL
Criss RE → Winston WE

Dai F → Ta W
De la Nuez J → Martín-Luis C
de Lena JC → Pimentel HS
De S, Mitra AK: Reclamation of mining-generated wastelands at Alkusha–Gopalpur abandoned open cast project, Raniganj Coalfield, eastern India 39
Desir G → Gutiérrez F
Di Francia S → Lima A
Doyle P, Barton P, Rosenbaum MS, Vandewalle J, Jacobs K: Geo-environmental implications of military mining in Flanders, Belgium, 1914–1918 57
Drude de Lacerda L: Updating global Hg emissions from small-scale gold mining and assessing its environmental impacts 308
Duncan WF → Goodarzi F
Dutrizac JE → Jambor JL

Ebraheem AM, Riad S, Wycisk P, Seif El-Nasr AM: Simulation of impact of present and future groundwater extraction from the non-replenished Nubian Sandstone Aquifer in southwest Egypt 188
Edsberg A → Elberling B
Eff-Darwich A → Martín-Luis C
Eichenberger U → Lacave C
Ekermo S → Stevens RL
El Mernissi M → Fakir Y
Elberling B, Balić-Žunić T, Edsberg A: Spatial variations and controls of acid mine drainage generation 806
Elhatip H: The use of hydrochemical techniques to estimate the discharge of Ovacık submarine springs on the Mediterranean coast of Turkey 714
Engle MA → Sexauer Gustin M
Eriksson K → Johannesson LT
Esaki T → Xie M

Fagerlund F, Heinson G: Detecting subsurface groundwater flow in fractured rock using self-potential (SP) methods 782
Fakayode SO, Onianwa PC: Heavy metal contamination of soil, and bioaccumulation in Guinea grass (Panicum maximum) around Ikeja Industrial Estate, Lagos, Nigeria 145
Fakir Y, El Mernissi M, Kreuser T, Berjami B: Natural tracer approach to characterize groundwater in the coastal Sahel of Oualidia (Morocco) 197
Fernández-Turiel JL, Pérez-Miranda C, Almada GH, Medina ME, Riviere CA, Gordillo MA: Surface-water quality for the Salí River watershed in NW Argentina 941

Field MS: A review of some tracer-test design equations for tracer-mass estimation and sample-collection frequency 867
Filiz S → Somay AM
Fitzgerald BC → Sexauer Gustin M
Foyle AM, Henry VJ, Alexander CR: Mapping the threat of seawater intrusion in a regional coastal aquifer–aquitard system in the southeastern United States 151
Frost CD → Toner RN

Gómez J → Acero P
Galadini F, Colini L, Giaccio B, Messina P, Salvi S, Sposato A: Persisting effects of the Colfiorito (central Italy) Pleistocene paleo-landslide in the planning of land use: Upper Palaeolithic and proto-historical coexistence and Antique-Modern modifications 621
Garcia-Vallès M, Topal T, Vendrell-Saz M: Lichenic growth as a factor in the physical deterioration or protection of Cappadocian monuments 776
Garrett RG → Goodarzi F
Gemici Ü, Tarcan G: Distribution of boron in thermal waters of western Anatolia, Turkey, and examples of their environmental impacts 87
Ghosh BC → Veeresh H
Giaccio B → Galadini F
Gimeno MJ → Acero P
Goldscheider N, Hötzl H, Käss W, Ufrecht W: Combined tracer tests in the karst aquifer of the artesian mineral springs of Stuttgart, Germany 922
Goodarzi F, Sanei H, Garrett RG, Duncan WF: Accumulation of trace elements on the surface soil around the Trail smelter, British Columbia, Canada 29
Gordillo MA → Fernández-Turiel JL
Graham EY → Yang ZR
Gray JE, Greaves IA, Bustos DM, Krabbenhoft DP: Mercury and methylmercury contents in mine-waste calcine, water, and sediment collected from the Palawan Quicksilver Mine, Philippines 298
Greaves IA → Gray JE
Groat LA → Jambor JL
Guadagno FM, Martino S, Scarascia Mugnozza G: Influence of man-made cuts on the stability of pyroclastic covers (Campania, southern Italy): a numerical modelling approach 371
Gutiérrez F, Desir G, Gutiérrez M: Causes of the catastrophic failure of an earth dam built on gypsiferous alluvium and dispersive clays (Altorricón, Huesca Province, NE Spain) 842
Gutiérrez M → Gutiérrez F

Hötzl H → Goldscheider N
Halonen T → Loukola-Ruskeeniemi K
Han WS → Yoon JR
Harrison J, Heijnis H, Caprarelli G: Historical pollution variability from abandoned mine sites, Greater Blue Mountains World Heritage Area, New South Wales, Australia 680
Hart BR → Veeresh H
He K, Liu C, Wang S: Karst collapse related to over-pumping and a criterion for its stability 720
Heijnis H → Harrison J
Heinson G → Fagerlund F
Henry VJ → Foyle AM
Henttonen P → Loukola-Ruskeeniemi K
Hergt T → Huizar-Alvarez R
Hernández G → Huizar-Alvarez R
Hudson GB → Thomas JM
Huizar-Alvarez R, Hernández G, Carrillo-Martinez M, Carrillo-Rivera JJ, Hergt T, Ángeles G: Geologic structure and groundwater flow in the Pachuca–Zumpango sub-basin, central Mexico 385
Huy NQ, Luyen TV, Phe TM, Mai NV: Toxic elements and heavy metals in sediments in Tham Luong Canal, Ho Chi Minh City, Vietnam 836

Iqbal MZ → Tavener BT

Jacobs K → Doyle P
Jaffe BE → Marvin-DiPasquale MC
Jambor JL, Dutrizac JE, Groat LA, Raudsepp M: Static tests of neutralization potentials of silicate and aluminosilicate minerals 1
Jang C-S → Liu C-W
Jeannin P-Y → Lacave C
Jeng W-L, Kao S-J: Lipids in suspended matter from the human-disturbed Lanyang River, northeastern Taiwan 138
Johannesson LT, Stevens RL, Eriksson K: The influence of an urban stream on sediment geochemistry in Göteborg Harbour, Sweden 434

Käss W → Goldscheider N
Kallio E → Loukola-Ruskeeniemi K
Kantola M → Loukola-Ruskeeniemi K
Kao S-J → Jeng W-L
Keislar RE → Sexauer Gustin M
Kempers AJ → Samecka-Cymerman A
Kester CL, Baron JS, Turk JT: Isotopic study of sulfate sources and residence times in a subalpine watershed 606
Khan Z, Anjaneyulu Y: Selection of hazardous waste dumpsites based on parameters effecting soil adsorption capacity – a case study 986
Kiernan K, Wood C, Middleton G: Aquifer structure and contamination risk in lava flows: insights from Iceland and Australia 852
Kim R-H → Lee J
Kolker A, Orem W, Lechler P: Introduction to Mercury Special Issue 245
Koller MW → Lacave C
Krabbenhoft DP → Abbott ML
Krabbenhoft DP → Gray JE
Krabbenhoft DP → Susong DD
Kreulen B → Varekamp JC
Kreuser T → Fakir Y
Kundu N, Panigrahi MK, Sharma SP, Tripathy S: Delineation of fluoride contaminated groundwater around a hot spring in Nayagarh, Orissa, India using geochemical and resistivity studies 228
Kurki P → Loukola-Ruskeeniemi K
Kwon BD → Yoon JR

Lacave C, Koller MW, Eichenberger U, Jeannin P-Y: Prevention of speleothem rupture during nearby construction 892
Lechler P → Kolker A
Lechler PJ → Miller JR
Lee J, Kim R-H, Chang H-W: Interaction between groundwater quality and hydraulic head in an area around an underground LPG storage cavern, Korea 901
Lee K → Yoon JR
Lee KY: Transport of dissolved contaminants originating from a rectangular prism-shaped, multicomponent nonaqueous-phase liquid source in saturated porous media 132

Lee S, Choi J, Min K: Landslide susceptibility analysis and verification using the Bayesian probability model 120
Leifsen LØ → Paetzel M
Lewis B → Chapman JB
Liang C → Zhou X
Lima A, Cicchella D, Di Francia S: Natural contribution of harmful elements in thermal groundwaters of Ischia Island (southern Italy) 930
Lindberg SE → Sexauer Gustin M
Litus G → Chapman JB
Liu C → He K
Liu C-W, Jang C-S, Chen S-C: Three-dimensional spatial variability of hydraulic conductivity in the Choushui River alluvial fan, Taiwan 48
Locsey KL, Cox ME: Statistical and hydrochemical methods to compare basalt- and basement rock-hosted groundwaters: Atherton Tablelands, north-eastern Australia 698
Loukola-Ruskeeniemi K, Kantola M, Halonen T, Seppänen K, Henttonen P, Kallio E, Kurki P, Savolainen H: Mercury-bearing black shales and human Hg intake in eastern Finland: impact and mechanisms 283
Luyen TV → Huy NQ
Lyons WB → Yang ZR

Müller-Karulis B, Poikāne R, Segliņš V: Heavy metals in the Ventspils Harbour: normalization based on a multi-parameter dataset 445
Mai NV → Huy NQ
Malinovsky D, Rodushkin I, Moiseenko T, Öhlander B: Aqueous transport and fate of pollutants in mining area: a case study of Khibiny apatite–nepheline mines, the Kola Peninsula, Russia 172
Mandado JMA → Acero P
Martín-Luis C, Quesada ML, Eff-Darwich A, De la Nuez J, Coello J, Ahijado A, Casillas R, Soler V: A new strategy to measure radon in an active volcanic island (Tenerife, Canary Islands) 72
Martin AJ, Calvert SE: Hydrological and geochemical controls governing the distribution of trace metals in a mine-impacted lake 408
Martino S → Guadagno FM
Marvin-DiPasquale MC, Agee JL, Bouse RM, Jaffe BE: Microbial cycling of mercury in contaminated pelagic and wetland sediments of San Pablo Bay, California 260
Mecray EL → Varekamp JC
Medina ME → Fernández-Turiel JL
Messina P → Galadini F
Middleton G → Kiernan K
Miller JR, Lechler PJ: Importance of temporal and spatial scale in the analysis of mercury transport and fate: an example from the Carson River system, Nevada 315
Min K → Lee S
Mitani Y → Xie M
Mitra AK → De S
Moiseenko T → Malinovsky D
Moran JE, Rose TP: A chlorine-36 study of regional groundwater flow and vertical transport in southern Nevada 592
Mudry J → Andreo B
Murphy JB → Page KD

Nacht DM → Sexauer Gustin M
Nalini HA Jr → Pimentel HS
Nes G → Paetzel M

Oh MH → Yoon GL
Olson M → Abbott ML
Onianwa PC → Fakayode SO
Orem W → Kolker A
Ozler HM: Hydrochemistry and salt-water intrusion in the Van aquifer, east Turkey 759
Öhlander B → Malinovsky D

Páez-Osuna F → Soto-Jiménez MF
Pérez-Miranda C → Fernández-Turiel JL
Paetzel M, Schrader H: Natural vs. human-induced facies changes in recent, shallow fjord sediments of the Store Lungegårdsvannet in Bergen (western Norway) 484
Paetzel M, Nes G, Leifsen LØ, Schrader H: Sediment pollution in the Vågen, Bergen harbour, Norway 476
Page KD, Murphy JB: The geological sources of Hg contamination in Kejimkujik National Park, Nova Scotia, Canada: a GIS approach 882
Panigrahi MK → Kundu N
Papelis C → Um W
Park JB → Yoon GL
Phe TM → Huy NQ
Pimentel HS, de Lena JC, Nalini HA Jr: Studies of water quality in the Ouro Preto region, Minas Gerais, Brazil: the release of arsenic to the hydrological system 725
Poikāne R → Müller-Karulis B
Powell MA → Veeresh H

Qu J → Ta W
Quashnick J → Sexauer Gustin M
Quesada ML → Martín-Luis C
Quick JC, Brill TC, Tabet DE: Mercury in US coal: observations using the COALQUAL and ICR data 247

Rademacher LK, Clark JF, Boles JR: Groundwater residence times and flow paths in fractured rock determined using environmental tracers in the Mission Tunnel; Santa Barbara County, California, USA 557
Ramanujam N, Sudarsan R: A study of coastal transformation at Tuticorin as a result of emerged and submerged natural breakwaters of Van Island, Gulf of Mannar 521
Randazzo AF → Smith DL
Raudsepp M → Jambor JL
Riad S → Ebraheem AM
Riviere CA → Fernández-Turiel JL
Rodushkin I → Malinovsky D
Romic D → Romic M
Romic M, Romic D: Heavy metals distribution in agricultural topsoils in urban area 795
Rose TP → Moran JE
Rose TP → Thomas JM
Rosenbaum MS → Burton CL
Rosenbaum MS → Doyle P
Ruiz-Fernández AC → Soto-Jiménez MF
Rytuba JJ: Mercury from mineral deposits and potential environmental impact 326
Rytuba JJ → Sexauer Gustin M

Salvi S → Galadini F
Samecka-Cymerman A, Kempers AJ, Winter B: Metal and macroelement concentration and effect of nutrient addition in terrestrial bryophytes growing on serpentine massifs in Lower Silesia, Poland 79
Sanei H → Goodarzi F
Savolainen H → Loukola-Ruskeeniemi K

Saxena VK, Ahmed S: Inferring the chemical parameters for the dissolution of fluoride in groundwater 731
Scarascia Mugnozza G → Guadagno FM
Schrader H → Paetzel M
Segliņš V → Müller-Karulis B
Seif El-Nasr AM → Ebraheem AM
Seppänen K → Loukola-Ruskeeniemi K
Sexauer Gustin M, Coolbaugh MF, Engle MA, Fitzgerald BC, Keislar RE, Lindberg SE, Nacht DM, Quashnick J, Rytuba JJ, Sladek C, Zhang H, Zehner RE: Atmospheric mercury emissions from mine wastes and surrounding geologically enriched terrains 339
Sharma M, Tobschall HJ, Singh IB: Environmental impact assessment in the Moradabad industrial area (rivers Ramganga-Ganga interfluve), Ganga Plain, India 957
Sharma SP → Kundu N
Shi JA → Wang Q
Singh IB → Sharma M
Skoulikidis NT: Hydrochemical character and spatiotemporal variations in a heavily modified river of western Greece 814
Sladek C → Sexauer Gustin M
Smith DL, Randazzo AF: Application of electrical resistivity measurements to an evaluation of a potential landfill site in a karstic terrain 743
Soler V → Martín-Luis C
Somay AM, Filiz S: Hydrology, hydrogeology and hydrochemistry of wetlands: a case study in Izmir Bird Paradise, Turkey 825
Soto-Jiménez MF, Páez-Osuna F, Ruiz-Fernández AC: Organic matter and nutrients in an altered subtropical marsh system, Chiricahueto, NW Mexico 913
Sposato A → Galadini F
Stevens RL → Johannesson LT
Stevens RL, Ekermo S: Sedimentation and erosion in connection with ship traffic, Göteborg Harbour, Sweden 466
Stevens RL: Harbours – silting and environmental sedimentology 432
Stoch EJ → Swart CJU
Stute M → Thomas JM
Subba Rao N: Groundwater prospecting and management in an agro-based rural environment of crystalline terrain of India 419
Sudarsan R → Ramanujam N
Susong DD → Abbott ML
Susong DD, Abbott ML, Krabbenhoft DP: Mercury accumulation in snow on the Idaho National Engineering and Environmental Laboratory and surrounding region, southeast Idaho, USA 357
Swart CJU, Stoch EJ, van Jaarsveld CF, Brink ABA: The Lower Wonderfontein Spruit: an exposé 635

Ta W, Yang G, Qu J, Wang T, Dai F: The effect of the coarse aeolian sand on siltation of the Inner Mongolian Reach of the Yellow River 493
Ta W, Xiao Z, Qu J, Yang G, Wang T: Characteristics of dust particles from the desert/Gobi area of northwestern China during dust-storm periods 667
Tabet DE → Quick JC
Tarcan G → Gemici Ü
Tavener BT, Iqbal MZ: The development of a hydrologic budget to determine the nitrogen and phosphorus loads of the Cedar River watershed in Iowa 400
Thomas JM, Rose TP: Environmental isotopes in hydrogeology 532
Thomas JM, Hudson GB, Stute M, Clark JF: Noble gas loss may indicate groundwater flow across flow barriers in southern Nevada 568
Tobschall HJ → Sharma M
Toner RN, Frost CD, Chamberlain KR: Isotopic identification of natural vs. anthropogenic sources of Pb in Laramie basin groundwaters, Wyoming, USA 580
Topal T → Garcia-Vallès M
Torfs K → Cardell-Fernández C
Torrijo FJ → Acero P
Tripathy S → Veeresh H
Tripathy S → Kundu N
Turk JT → Kester CL

Ufrecht W → Goldscheider N
Um W, Papelis C: Geochemical effects on colloid-facilitated metal transport through zeolitized tuffs from the Nevada Test Site 209

Vadillo I → Andreo B
Van Grieken R → Cardell-Fernández C
van Jaarsveld CF → Swart CJU
Vandewalle J → Doyle P
Varekamp JC, Kreulen B, Buchholtz ten Brink MR, Mecray EL: Mercury contamination chronologies from Connecticut wetlands and Long Island Sound sediments 268
Veeresh H, Tripathy S, Chaudhuri D, Ghosh BC, Hart BR, Powell MA: Changes in physical and chemical properties of three soil types in India as a result of amendment with fly ash and sewage sludge 513
Vendrell-Saz M → Garcia-Vallès M
Vleugels G → Cardell-Fernández C
Vogler ET → Bao WMJ

Wang Q, Shi JA, Chen GJ, Xue LH: Environmental effects induced by human activities in arid Shiyang River basin, Gansu province, northwest China 219
Wang S → He K
Wang T → Ta W
Winston WE, Criss RE: Oxygen isotope and geochemical variations in the Missouri River 546
Winter B → Samecka-Cymerman A
Wood C → Kiernan K
Wycisk P → Ebraheem AM

Xiao Z → Ta W
Xie M, Esaki T, Zhou G, Mitani Y: Three-dimensional stability evaluation of landslides and a sliding process simulation using a new geographic information systems component 503
Xue LH → Wang Q

Yang G → Ta W
Yang ZR, Graham EY, Lyons WB: Geochemistry of Pyramid Lake sediments: influence of anthropogenic activities and climatic variations within the basin 688
Yoon GL, Oh MH, Park JB: Laboratory study of landfill leachate effect on resistivity in unsaturated soil using cone penetrometer 18
Yoon JR, Lee K, Kwon BD, Han WS: Geoelectrical surveys of the Nanjido waste landfill in Seoul, Korea 654

Zehner RE → Sexauer Gustin M
Zhang H → Sexauer Gustin M
Zhou G → Xie M
Zhou X, Chen M, Liang C: Optimal schemes of groundwater exploitation for prevention of seawater intrusion in the Leizhou Peninsula in southern China 978

## Regular Issues

## Original articles

A new strategy to measure radon in an active volcanic island (Tenerife, Canary Islands): Martín-Luis C, Quesada ML, Eff-Darwich A, De la Nuez J, Coello J, Ahijado A, Casillas R, Soler V 72
A review of some tracer-test design equations for tracer-mass estimation and sample-collection frequency: Field MS 867
A study of coastal transformation at Tuticorin as a result of emerged and submerged natural breakwaters of Van Island, Gulf of Mannar: Ramanujam N, Sudarsan R 521
Accumulation of trace elements on the surface soil around the Trail smelter, British Columbia, Canada: Goodarzi F, Sanei H, Garrett RG, Duncan WF 29
Application of electrical resistivity measurements to an evaluation of a potential landfill site in a karstic terrain: Smith DL, Randazzo AF 743
Aqueous transport and fate of pollutants in mining area: a case study of Khibiny apatite–nepheline mines, the Kola Peninsula, Russia: Malinovsky D, Rodushkin I, Moiseenko T, Öhlander B 172
Aquifer structure and contamination risk in lava flows: insights from Iceland and Australia: Kiernan K, Wood C, Middleton G 852
Causes of the catastrophic failure of an earth dam built on gypsiferous alluvium and dispersive clays (Altorricón, Huesca Province, NE Spain): Gutiérrez F, Desir G, Gutiérrez M 842
Changes in physical and chemical properties of three soil types in India as a result of amendment with fly ash and sewage sludge: Veeresh H, Tripathy S, Chaudhuri D, Ghosh BC, Hart BR, Powell MA 513
Characteristics of dust particles from the desert/Gobi area of northwestern China during dust-storm periods: Ta W, Xiao Z, Qu J, Yang G, Wang T 667
Combined tracer tests in the karst aquifer of the artesian mineral springs of Stuttgart, Germany: Goldscheider N, Hötzl H, Käss W, Ufrecht W 922
Delineation of fluoride contaminated groundwater around a hot spring in Nayagarh, Orissa, India using geochemical and resistivity studies: Kundu N, Panigrahi MK, Sharma SP, Tripathy S 228
Detecting subsurface groundwater flow in fractured rock using self-potential (SP) methods: Fagerlund F, Heinson G 782
Distribution of boron in thermal waters of western Anatolia, Turkey, and examples of their environmental impacts: Gemici Ü, Tarcan G 87
Environmental effects induced by human activities in arid Shiyang River basin, Gansu province, northwest China: Wang Q, Shi JA, Chen GJ, Xue LH 219
Environmental geochemistry of the Bingham Canyon porphyry copper deposit, Utah: Borden RK 752
Environmental impact assessment in the Moradabad industrial area (rivers Ramganga-Ganga interfluve), Ganga Plain, India: Sharma M, Tobschall HJ, Singh IB 957
Environmental impact of heavy-metal dispersion in the Huerva River (Iberian Range, NE Spain): Acero P, Mandado JMA, Gómez J, Gimeno MJ, Auqué LF, Torrijo FJ 950
Evaluation of aquifer vulnerability to contamination potential using the DRASTIC method: Al-Zabet T 203
Experimental assessment of the adequacy of clayey soils in Irbid to retard lead from aqueous solutions and leaded gasoline: Abu-El-Sha'r WY, Batarseh ES, Ammary BY 526
Geochemical effects on colloid-facilitated metal transport through zeolitized tuffs from the Nevada Test Site: Um W, Papelis C 209
Geochemistry of Pyramid Lake sediments: influence of anthropogenic activities and climatic variations within the basin: Yang ZR, Graham EY, Lyons WB 688
Geoelectrical surveys of the Nanjido waste landfill in Seoul, Korea: Yoon JR, Lee K, Kwon BD, Han WS 654
Geo-environmental implications of military mining in Flanders, Belgium, 1914–1918: Doyle P, Barton P, Rosenbaum MS, Vandewalle J, Jacobs K 57
Geologic structure and groundwater flow in the Pachuca–Zumpango sub-basin, central Mexico: Huizar-Alvarez R, Hernández G, Carrillo-Martinez M, Carrillo-Rivera JJ, Hergt T, Ángeles G 385
Groundwater prospecting and management in an agro-based rural environment of crystalline terrain of India: Subba Rao N 419
Heavy metal contamination of soil, and bioaccumulation in Guinea grass (Panicum maximum) around Ikeja Industrial Estate, Lagos, Nigeria: Fakayode SO, Onianwa PC 145
Heavy metals distribution in agricultural topsoils in urban area: Romic M, Romic D 795
Historical pollution variability from abandoned mine sites, Greater Blue Mountains World Heritage Area, New South Wales, Australia: Harrison J, Heijnis H, Caprarelli G 680
Hydrochemical character and spatiotemporal variations in a heavily modified river of western Greece: Skoulikidis NT 814
Hydrochemistry and salt-water intrusion in the Van aquifer, east Turkey: Ozler HM 759
Hydrological and geochemical controls governing the distribution of trace metals in a mine-impacted lake: Martin AJ, Calvert SE 408
Hydrology, hydrogeology and hydrochemistry of wetlands: a case study in Izmir Bird Paradise, Turkey: Somay AM, Filiz S 825
Inferring the chemical parameters for the dissolution of fluoride in groundwater: Saxena VK, Ahmed S 731
Influence of man-made cuts on the stability of pyroclastic covers (Campania, southern Italy): a numerical modelling approach: Guadagno FM, Martino S, Scarascia Mugnozza G 371
Interaction between groundwater quality and hydraulic head in an area around an underground LPG storage cavern, Korea: Lee J, Kim R-H, Chang H-W 901
Karst collapse related to over-pumping and a criterion for its stability: He K, Liu C, Wang S 720
Laboratory study of landfill leachate effect on resistivity in unsaturated soil using cone penetrometer: Yoon GL, Oh MH, Park JB 18
Landslide susceptibility analysis and verification using the Bayesian probability model: Lee S, Choi J, Min K 120
Lichenic growth as a factor in the physical deterioration or protection of Cappadocian monuments: Garcia-Vallès M, Topal T, Vendrell-Saz M 776
Lipids in suspended matter from the human-disturbed Lanyang River, northeastern Taiwan: Jeng W-L, Kao S-J 138
Mapping the threat of seawater intrusion in a regional coastal aquifer–aquitard system in the southeastern United States: Foyle AM, Henry VJ, Alexander CR 151
Metal and macroelement concentration and effect of nutrient addition in terrestrial bryophytes growing on serpentine massifs in Lower Silesia, Poland: Samecka-Cymerman A, Kempers AJ, Winter B 79

Natural contribution of harmful elements in thermal groundwaters of Ischia Island (southern Italy): Lima A, Cicchella D, Di Francia S 930
Natural tracer approach to characterize groundwater in the coastal Sahel of Oualidia (Morocco): Fakir Y, El Mernissi M, Kreuser T, Berjami B 197
Nonaqueous liquid pool dissolution in three-dimensional heterogeneous subsurface formations: Bao WMJ, Vogler ET, Chrysikopoulos CV 968
Optimal schemes of groundwater exploitation for prevention of seawater intrusion in the Leizhou Peninsula in southern China: Zhou X, Chen M, Liang C 978
Organic matter and nutrients in an altered subtropical marsh system, Chiricahueto, NW Mexico: Soto-Jiménez MF, Páez-Osuna F, Ruiz-Fernández AC 913
Persisting effects of the Colfiorito (central Italy) Pleistocene paleo-landslide in the planning of land use: Upper Palaeolithic and proto-historical coexistence and Antique-Modern modifications: Galadini F, Colini L, Giaccio B, Messina P, Salvi S, Sposato A 621
Prevention of speleothem rupture during nearby construction: Lacave C, Koller MW, Eichenberger U, Jeannin P-Y 892
Reclamation of mining-generated wastelands at Alkusha–Gopalpur abandoned open cast project, Raniganj Coalfield, eastern India: De S, Mitra AK 39
Selection of hazardous waste dumpsites based on parameters effecting soil adsorption capacity – a case study: Khan Z, Anjaneyulu Y 986
Simulation of impact of present and future groundwater extraction from the non-replenished Nubian Sandstone Aquifer in southwest Egypt: Ebraheem AM, Riad S, Wycisk P, Seif El-Nasr AM 188
Spatial variations and controls of acid mine drainage generation: Elberling B, Balić-Žunić T, Edsberg A 806
Static tests of neutralization potentials of silicate and aluminosilicate minerals: Jambor JL, Dutrizac JE, Groat LA, Raudsepp M 1
Statistical and hydrochemical methods to compare basalt- and basement rock-hosted groundwaters: Atherton Tablelands, north-eastern Australia: Locsey KL, Cox ME 698
Studies of water quality in the Ouro Preto region, Minas Gerais, Brazil: the release of arsenic to the hydrological system: Pimentel HS, de Lena JC, Nalini HA Jr 725
Surface-water quality for the Salí River watershed in NW Argentina: Fernández-Turiel JL, Pérez-Miranda C, Almada GH, Medina ME, Riviere CA, Gordillo MA 941
The development of a hydrologic budget to determine the nitrogen and phosphorus loads of the Cedar River watershed in Iowa: Tavener BT, Iqbal MZ 400
The effect of the coarse aeolian sand on siltation of the Inner Mongolian Reach of the Yellow River: Ta W, Yang G, Qu J, Wang T, Dai F 493
The geological sources of Hg contamination in Kejimkujik National Park, Nova Scotia, Canada: a GIS approach: Page KD, Murphy JB 882
The Lower Wonderfontein Spruit: an exposé: Swart CJU, Stoch EJ, van Jaarsveld CF, Brink ABA 635
The processes dominating Ca dissolution of limestone when exposed to ambient atmospheric conditions as determined by comparing dissolution models: Cardell-Fernández C, Vleugels G, Torfs K, Van Grieken R 160
The use of hydrochemical techniques to estimate the discharge of Ovacık submarine springs on the Mediterranean coast of Turkey: Elhatip H 714
Three-dimensional spatial variability of hydraulic conductivity in the Choushui River alluvial fan, Taiwan: Liu C-W, Jang C-S, Chen S-C 48
Three-dimensional stability evaluation of landslides and a sliding process simulation using a new geographic information systems component: Xie M, Esaki T, Zhou G, Mitani Y 503
Toxic elements and heavy metals in sediments in Tham Luong Canal, Ho Chi Minh City, Vietnam: Huy NQ, Luyen TV, Phe TM, Mai NV 836
Transport of dissolved contaminants originating from a rectangular prism-shaped, multicomponent nonaqueous-phase liquid source in saturated porous media: Lee KY 132
Use of hydrodynamic and hydrochemistry to characterise carbonate aquifers. Case study of the Blanca–Mijas unit (Málaga, southern Spain): Andreo B, Carrasco F, Bakalowicz M, Mudry J, Vadillo I 108
Water and sediment geochemistry of major Kumaun Himalayan lakes, India: Chakrapani GJ 99

## Rebuttal

Rebuttal to "Arsenic toxicity of groundwater in parts of the Bengal basin in India and Bangladesh:the role of Quaternary stratigraphy and Holocene sea-level fluctuation" by S.K. Acharyya and others (*Environmental Geology* 39(10):1127–1137): Bandyopadhyay RK 236

## Views & News

238, 364, 614, 737, 866, 991

## Book reviews

239, 366, 615, 738, 992

## Events

241, 368, 617, 739, 994

## Special Issue: Mercury

## Original articles

Atmospheric mercury emissions from mine wastes and surrounding geologically enriched terrains: Sexauer Gustin M, Coolbaugh MF, Engle MA, Fitzgerald BC, Keislar RE, Lindberg SE, Nacht DM, Quashnick J, Rytuba JJ, Sladek C, Zhang H, Zehner RE 339
Importance of temporal and spatial scale in the analysis of mercury transport and fate: an example from the Carson River system, Nevada: Miller JR, Lechler PJ 315
Introduction to Mercury Special Issue: Kolker A, Orem W, Lechler P 245
Mercury accumulation in snow on the Idaho National Engineering and Environmental Laboratory and surrounding region, southeast Idaho, USA: Susong DD, Abbott ML, Krabbenhoft DP 357
Mercury and methylmercury contents in mine-waste calcine, water, and sediment collected from the Palawan Quicksilver Mine, Philippines: Gray JE, Greaves IA, Bustos DM, Krabbenhoft DP 298
Mercury-bearing black shales and human Hg intake in eastern Finland: impact and mechanisms: Loukola-Ruskeeniemi K,

Kantola M, Halonen T, Seppänen K, Henttonen P, Kallio E, Kurki P, Savolainen H 283
Mercury contamination chronologies from Connecticut wetlands and Long Island Sound sediments: Varekamp JC, Kreulen B, Buchholtz ten Brink MR, Mecray EL 268
Mercury from mineral deposits and potential environmental impact: Rytuba JJ 326
Mercury in soil near a long-term air emission source in southeastern Idaho: Abbott ML, Susong DD, Olson M, Krabbenhoft DP 352
Mercury in US coal: observations using the COALQUAL and ICR data: Quick JC, Brill TC, Tabet DE 247
Microbial cycling of mercury in contaminated pelagic and wetland sediments of San Pablo Bay, California: Marvin-DiPasquale MC, Agee JL, Bouse RM, Jaffe BE 260
Updating global Hg emissions from small-scale gold mining and assessing its environmental impacts: Drude de Lacerda L 308

## Special Topic: Harbours - silting and environmental sedimentology

### Introduction

Harbours – silting and environmental sedimentology: Stevens RL 432

### Original articles

Decision support to assist environmental sedimentology modelling: Burton CL, Rosenbaum MS 457
Heavy metals in the Ventspils Harbour: normalization based on a multi-parameter dataset: Müller-Karulis B, Poikāne R, Segliņš V 445
Natural vs. human-induced facies changes in recent, shallow fjord sediments of the Store Lungegårdsvannet in Bergen (western Norway): Paetzel M, Schrader H 484
Sedimentation and erosion in connection with ship traffic, Göteborg Harbour, Sweden: Stevens RL, Ekermo S 466
Sediment pollution in the Vågen, Bergen harbour, Norway: Paetzel M, Nes G, Leifsen LØ, Schrader H 476

### Research article

The influence of an urban stream on sediment geochemistry in Göteborg Harbour, Sweden: Johannesson LT, Stevens RL, Eriksson K 434

## Special Topic: Environmental isotopes in hydrology

### Introduction

Environmental isotopes in hydrogeology: Thomas JM, Rose TP 532

### Original articles

A chlorine-36 study of regional groundwater flow and vertical transport in southern Nevada: Moran JE, Rose TP 592
Chemical and isotopic evaluation of water sources to the fens of South Park, Colorado: Chapman JB, Lewis B, Litus G 533
Groundwater residence times and flow paths in fractured rock determined using environmental tracers in the Mission Tunnel; Santa Barbara County, California, USA: Rademacher LK, Clark JF, Boles JR 557
Isotopic identification of natural vs. anthropogenic sources of Pb in Laramie basin groundwaters, Wyoming, USA: Toner RN, Frost CD, Chamberlain KR 580
Isotopic study of sulfate sources and residence times in a subalpine watershed: Kester CL, Baron JS, Turk JT 606
Noble gas loss may indicate groundwater flow across flow barriers in southern Nevada: Thomas JM, Hudson GB, Stute M, Clark JF 568
Oxygen isotope and geochemical variations in the Missouri River: Winston WE, Criss RE 546